

1.

STATE OF WASHINGTON DEPARTMENT OF ECOLOGY - Amended - FR-7-09

RECEIVED

JUL 062009

APPLICATION FOR PERMIT

TO CONSTRUCT A RESERVOIR AND TO STORE FOR BENEFICIAL USERTMENT OF ECOLOGY WATERS OF THE STATE OF WASHINGTON EASTERN REGIONAL OFFICE

\$50.00 NON-REFUNDABLE MINIMUM STATUTORY FILING FEE REQUIRED WITH APPLICATION (GRAY BOXES FOR OFFICE USE ONLY)

R3-30526 W.R.I.A.	COUNTY Walla Vi	alla	7-10 - 2009	TIME	ACCEPTED
APPLICANT'S NAME City of Walla Walla, Washington		A STATE OF THE STA	TELEPHONE NUMBER (509) 527-4537		
DATE AND PLACE OF INCORPORATION, IF APPLICA	NT IS A CORPORATION				
ADDRESS (STREET) 55 Moore Street	(CITY)	Walla Walla	(STATE) WA	(ZIP CODE	E) 99362-0216
S	OURCE, USE, AND CA	PACITY OF R	ESERVOIR		
NAME OF PROPOSED RESERVOIR: "City of Walla W Formations underlying the City of Walla Walla and	Valla Basalt Aquifer Reserv			um and Grande F	Ronde
NAME OF STREAM OR OTHER SOURCE FOR RESER diverted from Mill Creek based on water right evid 13276 which superseded Oregon Certificate num Permit S-54483) See Appendix B. Water diverted of Walla Walla Mill Creek Water Treatment Plant and chlorinated and then, in part, moved into the introduced into up to ten (10) ASR wells to charge Water will also be withdrawn for municipal purpos	lenced by Oregon Certifical ber 5076. See Appendix A; d from Mill Creek is conveye hereafter "WTP", where it i City's water distribution sys e the underground basalt re	te number and Oregon ed to the City is ozonated stem and eservoirs.	TRIBUTARY OF Walla Wa	lla River	
USE(S) TO BE MADE OF IMPOUNDED WATER (IRRIG domestic, industrial, fish propagation, and irrigation		OGATION, ETC.)	All municipal uses includin	g, among other p	ootentials,
MONTHS OF ACRE FEET TO BE STORED AT MAXIMUM OPERATING LEVEL 1,750 acre-feet (3.8 Billion Gallons) using up to ten wells (including Wells No. 1 and 6). MONTHS OF YEAR DURING WHICH RESERVOIR IS TO BE FILLED – year of The exact dates of recharge water availability are dependent, among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available veround under Oregon Certificate 13276. Water is potentially available November 1 to April 15 under Oregon Permit S-54483 subject to; among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available November 1 to April 15 under Oregon Permit S-54483 subject to; among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available November 1 to April 15 under Oregon Permit S-54483 subject to; among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available November 1 to April 15 under Oregon Permit S-54483 subject to; among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available November 1 to April 15 under Oregon Permit S-54483 subject to; among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available November 1 to April 15 under Oregon Permit S-54483 subject to; among factors, on the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available provided to the particular water right exercised, stream flows, water sy demand, and turbidity in Mill Creek. Water is potentially available provided to the particular water availability are dependent, among factors, on the particular water availability are dependent, among factors, on the				ent, among other ws, water system vailable year ly available from oject to; among	
NUMBER OF ACRES TO BE IRRIGATED, IF USED FO	R IRRIGATION: There are var	ious small areas to	be irrigated within the Citv's s	ervice area, such a	is lawns and

gardens associated with residences, business facilities and churches as well as public areas, e.g. parks owned by the City.

R3-30526 revd 12-21-2006 \$12,400.00 -> 6,200 AF \$23,500.00 -> 11,750 AF \$11, 100.00 (5,550 AF balance)

Karen 13 fris where u want the "amended" app? Kf



TYPE AND CAPACITY OF DIVERSION WORKS IF WATER IS TO BE WITHDRAWN: City of Walla Walla-owned wells for charging and withdrawing numbers up to ten (10). They now exist or will be located in Blocks I, II, and III. Wells completed in Block I are Wells No. 1 (operated as an ASR-type well), Well No. 2, and Well No. 3. Wells No. 2 and 3 may be converted to ASR wells. Wells completed in Block II are Well No. 4 and Well No. 6 (operated as an ASR-type well). Well No. 4 may be converted to an ASR well. Wells located in Block III are Wells No. 5 and 7. Wells No. 5 and 7 may be converted to ASR wells. Additional ASR wells may be also constructed (1) in Block I near the Mill Creek Water Treatment Plant, (2) in Block II near Walla Walla Community College, and (3) in Block III between Wells No. 5 and 7. The attached map (Figure 1) shows the location of the City's presently operated wells as an ASR-type and other existing and potential wells. See Appendix C. The existing and proposed ASR wells are summarized in the following table:

Well	TRS Location	Hydrostratigraphic Location	Well Depth (feet)	Estimated Recharge Capacity (gpm)	Note
Existing ASR Wells		P			_
Well No. 1	T7N/R36E-13, SE NW	Block I	810	1,300	
Well No. 6	T7N/R36E-22, SE NE	Block II	1,330	1,600	
Proposed ASR Wells					
Well No. 2	T7N/R36E-13, SE NW	Block I	808	1,600	Convert existing well
Well No. 3	T7N/R37E-18, SE NW	Block I	1,169	1,600	Convert existing well
Well No. 4 (Existing)	T7N/R36E-22, SW SW	Block II	789	1,600	Convert existing well
Well No. 5	T7N/R36E-28, SE SE	Block III	1,090	1,600	Convert existing well or drill new well
Well No. 7	T7N/R36E-33, NW NW	Block III	1,412	1,600	Convert existing well or drill new well
wwcc	T7N/R36E-14, SE SW	Block II	1,324	1,600	Convert existing well or drill new well
Mill Creek WTP Well	T7N/R36E-13, SE NW	Block I	TBD	1,600	Convert existing well or drill new well
Near Wells 5 and 7	T7N/R36E-33, NW NE	Block III	TBD	1,600	Convert existing well or drill new well

Notes: TBD – means "to be determined."

LOCATION OF POINT OF DIVERSION OR WITHDRAWAL

ON ACCOMPANYING PLATS OR MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. GIVE MEASURED DISTANCE AND BEARING, OR NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER.

COMPLETE EITHER A OR B

2.

Α

Point of diversion related to Mill Creek is located at the NW ¼ of the NE ¼ of Section 22, Township 6N, Range 38 EWM. See Appendix D (map). The latitude of the diversion is 45.9901 and the longitude is -118.0483.

B

DISTANCE AND BEARING TO SECTION CORNER:

SECTION TOWNSHIP N. RANGE (E. OR W.) W.M. COUNTY LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) The storage area is in the sections summarized in the following table: Township Aquifer and **ASR Wells** Area Range Sections T7N/R36E 1, 2, 11, 12, 13, 14, 15 Well No. 1 (existing); T8N/R36E 26, 26, 35, 36 Well No. 2. Well No. 3, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, Block I New Well near T7N/R37E 11, 12, 13, 14, 15, 16, 17 Mill Creek WTP (proposed 25, 26, 27, 28, 29, 30, 31, T8N/R37E wells) 32, 33, 34, 35, 36 1, 2, 3, 10, 11, 12, 13, 14, T6N/R36E 15 21, 22, 23, 24, 25, 26, 27, T7N/R36E Well No. 4 28, 34, 35, 36 (proposed), T8N/R36E 4, 5, 6, 7, 8, 9, 16, 17, 18 Well No. 6 (existing) New Block II 1,2,3,4,5,6,7,8,9,10, Well at T6N/R37E 11, 12, 13, 14, 15, 16, 17 **WWCC** 18 (proposed) 19, 20, 21, 22, 27, 28, 29, T7N/R37E 30, 31, 32, 33, 34 T6N/R36E Well No. 5, 4, 5, 6, 7, 8, 9 Well No. 7. New Well Block III Between T7N/R36E 27, 28, 29, 30, 31, 32, 33, Wells 5 and 7 (proposed) See also map attached hereto marked Appendix A. IF THIS IS WITHIN THE LIMITS OF A RECORDED PLATTED PROPERTY, COMPLETE THIS SECTION LOT N/A BLOCK N/A OF (GIVE NAME OF PLAT OR ADDITION) N/A LOCATION OF IMPOUNDING STRUCTURE - Underground IMPOUNDING STRUCTURE LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) SECTION TOWNSHIP N. RANGE (E. OR W.) W.M. Naturally occurring bounded water bearing zone consisting of aquifer compartments within the Columbia River Basalt Aquifer System associated with the Wanapum and Grande Ronde formations. The proposed City ASR Reservoir is regional in scale and is described in the supporting materials to this application. See Appendix E (Golder Technical Memorandum, i.e. Recovery Efficiency, dated July 3, 2009) of Golder Report on ASR Reservoir Permit Application (2009a), and Golder Technical Memorandum on Groundwater Modeling to Support the City of Walla's Aguifer Storage and Recovery Reservoir Permit Application (2009b). Proposed ASR withdrawal

LEGAL SUBDIVISION OF LANDS IN WHICH THE SUBMERGED AREA IS TO BE LOCATED (THE OUTLINE OF THIS LAND IS TO BE SHOWN ON THE MAP TO ACCOMPANY THIS APPLICATION)

section 2.

wells are located in T7N, R36E-13 (Wells No. 1 and 2 and new ASR well), T7N/R36E14 Walla Walla Community College or new well), T7N/R36E-22 (Wells No. 4 and 6), T7N/R36E-28 (Well No. 5), T7N/R36E-33 (Well No. 7) and new ASR well, and T7N/R37E-18 (Well No. 3). See preceding table in this

3.

4.

DO YOU OWN THIS PROPERTY YES NO YES – The City of Walla Walla owns (or will own) all of the diversion and treatment facilities distribution system ASR wells and other wells as well as associated withdrawal facilities. NO – The lands overlying the storage the storage area are owned in part by various other landowners.	YES NO - No lands Aquifer Reservoir.	OD RIGHTS FOR LANDS TO BE INUN will be flooded. Storage will be ur	NDATED nderground in the City of Walla Walla Basa	
various other fandowners.				
	CONSTRUCTION OF I	MPOUNDING STRUCTURE		
HEIGHT OF DAM (FEET) N/A	LENGTH OF TOP (FEET) N/A	LENGTH OF BOTTOM (FEET) N	/A WIDTH ON TOP (FEET) N/A	
SLOPE OF FRONT OR WATER SIDE (NUMBER OF FEET HORIZONTAL TO ONE FOOT VERTICAL) N/A		SLOPE OF BACK SIDE (NUMBER OF FEET HORIZONTAL TO ONE FOOT VERTICAL) N/A		
HEIGHT OF DAM ABOVE WATER LINE A	T MAXIMUM FLOOD FLOW (FEET) N/A	A		
TYPE OF CONSTRUCTION OF DAM AND	MATERIAL OF WHICH IT IS TO BE BU	ILT N/A		
LOCATION AND DIMENSIONS OF SPILLY	WAYS (STATE WHETHER OVER, AROU	UND, OR THROUGH DAM) N/A		
LOCATION AND DIMENSIONS OF SPILLY	WAYS (STATE WHETHER OVER, AROU	UND, OR THROUGH DAM) N/A		
LOCATION AND DIMENSIONS OF SPILLA NUMBER OF ACRES TO BE SUBMERGE		UND, OR THROUGH DAM) N/A MAXIMUM DEPTH (FEET) N/A	APPROXIMATE AVERAGE DEPTH (FEET) N/A	
	D BY RESERVOIR WHEN FULL N/A	MAXIMUM DEPTH (FEET) N/A	N/A	
NUMBER OF ACRES TO BE SUBMERGE	D BY RESERVOIR WHEN FULL N/A K: Approximately \$7 Million for constructive forms (DATE). Initiation of fithis application. Conversion of 1999, and a Well No. 1 pilot test	on of new ASR wells and modification of new ASR wells and modification of construction will be completed and modification of existing on a schedule designed on an intaking into account associated file.	N/A of existing wells. ETED ON OR BEFORE (DATE) Construction wells is expected to be pursued by the Citnoremental basis to satisfy future needs, inancial and hydrogeological feasibility disting wells to take place and the completion	
NUMBER OF ACRES TO BE SUBMERGE ESTIMATED COST OF PROPOSED WOR CONSTRUCTION WILL BEGIN ON OR BE construction will start after approval of Well No. 1 to ASR was completed in 1 was completed in 1999. Well No. 6 w	D BY RESERVOIR WHEN FULL N/A K: Approximately \$7 Million for constructive for the construction of this application. Conversion of 1999, and a Well No. 1 pilot test as converted to an ASR-type well	on of new ASR wells and modification of new ASR wells and modification of construction will be completed and modification of existing on a schedule designed on an intaking into account associated fit thereof, with the upgrading of ex	N/A of existing wells. ETED ON OR BEFORE (DATE) Construction wells is expected to be pursued by the Citacremental basis to satisfy future needs, inancial and hydrogeological feasibility disting wells to take place and the completi	
NUMBER OF ACRES TO BE SUBMERGE ESTIMATED COST OF PROPOSED WOR CONSTRUCTION WILL BEGIN ON OR BE construction will start after approval of Well No. 1 to ASR was completed in 1 was completed in 1999. Well No. 6 w in 2004	D BY RESERVOIR WHEN FULL N/A K: Approximately \$7 Million for constructive for the construction of this application. Conversion of 1999, and a Well No. 1 pilot test as converted to an ASR-type well	on of new ASR wells and modification of new ASR wells and modification of construction will be completed and modification of existing on a schedule designed on an intaking into account associated fit thereof, with the upgrading of ex	N/A of existing wells. ETED ON OR BEFORE (DATE) Construction wells is expected to be pursued by the Cincremental basis to satisfy future needs, inancial and hydrogeological feasibility disting wells to take place and the completion	
ESTIMATED COST OF PROPOSED WOR CONSTRUCTION WILL BEGIN ON OR BE construction will start after approval of Well No. 1 to ASR was completed in 1 was completed in 1999. Well No. 6 w in 2004 SIZE AND TYPE OF OUTLET STRUCTUR	D BY RESERVOIR WHEN FULL N/A K: Approximately \$7 Million for constructive forms (DATE). Initiation of finitiation of finitiation. Conversion of 1999, and a Well No. 1 pilot test as converted to an ASR-type well	on of new ASR wells and modification of new ASR wells and modification of CONSTRUCTION WILL BE COMPLE new and modification of existing on a schedule designed on an in taking into account associated fit thereof, with the upgrading of ex of new wells between 2010 and	of existing wells. ETED ON OR BEFORE (DATE) Construction wells is expected to be pursued by the Cincremental basis to satisfy future needs, inancial and hydrogeological feasibility disting wells to take place and the completing 2024.	
ESTIMATED COST OF PROPOSED WOR CONSTRUCTION WILL BEGIN ON OR BE construction will start after approval of Well No. 1 to ASR was completed in 1 was completed in 1999. Well No. 6 w in 2004 SIZE AND TYPE OF OUTLET STRUCTUR	D BY RESERVOIR WHEN FULL N/A K: Approximately \$7 Million for constructive of this application. Conversion of 1999, and a Well No. 1 pilot test as converted to an ASR-type well of the conversed of the converted to an ASR-type well of the converted to the converted to an ASR-type well of the converted to	MAXIMUM DEPTH (FEET) N/A on of new ASR wells and modification of CONSTRUCTION WILL BE COMPLE new and modification of existing on a schedule designed on an in taking into account associated fit thereof, with the upgrading of ex of new wells between 2010 and 3	of existing wells. ETED ON OR BEFORE (DATE) Construction wells is expected to be pursued by the Cincremental basis to satisfy future needs, inancial and hydrogeological feasibility disting wells to take place and the completi 2024.	
ESTIMATED COST OF PROPOSED WOR CONSTRUCTION WILL BEGIN ON OR BE construction will start after approval of Well No. 1 to ASR was completed in 1 was completed in 1999. Well No. 6 w in 2004 SIZE AND TYPE OF OUTLET STRUCTUR LEGAL DESCRIFT	D BY RESERVOIR WHEN FULL N/A K: Approximately \$7 Million for constructive forms (DATE). Initiation of finitiation of finitiation. Conversion of 1999, and a Well No. 1 pilot test as converted to an ASR-type well	MAXIMUM DEPTH (FEET) N/A on of new ASR wells and modification of CONSTRUCTION WILL BE COMPLE new and modification of existing on a schedule designed on an in taking into account associated fit thereof, with the upgrading of ex of new wells between 2010 and in CH WATER IS TO BE USED (IF D DEPT DEED. TAX STATEMENT DESCRI	of existing wells. ETED ON OR BEFORE (DATE) Construction wells is expected to be pursued by the Cincremental basis to satisfy future needs, inancial and hydrogeological feasibility disting wells to take place and the completi 2024. DIFFERENT THAN ABOVE) IPTIONS ARE NOT ACCEPTABLE.	

YES NO		
IF NO, GIVE NAME AND ADDRESS OF OWNER The water area which includes multiple property owners. (The Cit system piping and valving, water storage facilities, water is used include (1) private owners, e.g. residential, busing	ty of Walla Walla owns and maintains the er treatment facilities, and raw water conv	water system infrastructure, including wells, distribution reyance and storage.) Owners of property where water
NOTE: In support of the application as to the satisfaction of attached hereto, which relates to for noted materials	on of the requirements of WAC 173-157- which relates to the Golder Report April,	110 through 170. See the collation document Appendix 2009, <u>supra</u> . See Appendix E.
	Public	FAPPLICANT DATE g.S. Sivley, P.E. b. Works Director of Walla Walla
STATE OF WASHINGTON DEPARTMENT OF ECOLOGY This is to certify that I have examine and data, and return the same for correction	or completion as follows:	
In order to retain its priority, this app		Department of Ecology, with
Witness my hand this	day of	, 20
	D	epartment of Ecology

If you require this document in an alternate format, please contact the Water Resource Program at (360) 407-6600 or TTY (for the speech or hearing impaired) at 711 or 1-800-833-6388.

DO YOU OWN THIS PROPERTY